


morsetti temprati per prese interne hardened jaws for internal grips

catalogo | catalogue

MATERIALE : ACCIAIO 18NiCrMo5 TEMPRATO
material : hardened steel 18NiCrMo5

DENTATURA / pitch: 1/16"x90°

MANDRINI / chucks
SMW/AUTOBLOK - CMT
BERG - FORKARDT
GAMET - ROHM - SCHUNK



MANDRINI / chucks Ø 250 - 315

										BERG	
										KH250	KH315
CODICE /code	B	C	D	F	G	H	DIN912	P	KG	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
40.25.13/MTI	58	48	16	29	M6	22	M16	1/16"x90°	1,34	95-125	125-180
40.25.14/MTI	"	"	"	"	"	"	"	"	1,15	125-150	155-210
40.25.15/MTI	"	"	"	"	"	"	"	"	1,09	150-175	180-235
40.25.16/MTI	"	"	"	"	"	"	"	"	0,90	175-200	205-260


MANDRINI / chucks Ø 250

										SMW/AUTOBLOK-CMT Ø250			
										BBD	AND ; ALD BHD	HFKN-D260 HFK ; HFKS	SP280-92
CODICE /code	B	C	D	F	G	H	DIN912	P	KG	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
43.31.21/MTI	58	48	21	30	M8	25	M16	1/16"x90°	1,23	85-105	-	-	90-120
43.25.17/MTI	"	"	"	"	"	"	"	"	1,16	100-135	90-125	90-125	120-160
43.25.18/MTI	"	"	"	"	"	"	"	"	1,10	135-172	125-165	125-165	160-195
43.25.19/MTI	"	"	"	"	"	"	"	"	0,81	172-213	165-205	165-205	195-235
43.25.20/MTI	"	"	"	"	"	"	"	"	0,80	213-245	205-245	205-245	235-275

MANDRINI / chucks Ø 315 *


										SMW/AUTOBLOK-CMT Ø315			
										ALD 315 AND 315	BHD ; HFK GFI	BBD	HFKN-D315-91
CODICE /code	B	C	D	F	G	H	DIN912	P	KG	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
43.31.21/MTI	58	48	21	30	M8	25	M16	1/16"x90°	1,23	85-150	90-150	120-160	105-135
43.25.17/MTI	"	"	"	"	"	"	"	"	1,16	-	-	145-185	135-170
43.25.18/MTI	"	"	"	"	"	"	"	"	1,10	140-220	150-230	185-220	170-210
43.25.19/MTI	"	"	"	"	"	"	"	"	0,81	-	-	220-260	210-250
43.25.20/MTI	"	"	"	"	"	"	"	"	0,80	220-300	230-300	260-300	250-300

* SEGUE PAGINA SUCCESSIVA / it follow to the next page



morsetti temprati per prese interne hardened jaws for internal grips

catalogo | catalogue



Pag.164

	BERG Ø250		FORKARDT Ø250			GAMET Ø250-260			ROHM
	KF250	KHFF250	KG ; KLNC	KSH	KT ; NH NHFF250	DELTA250	MAC250	DELTA260	KFD 250 KFD-HF
	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
	-	-	-	-	-	-	-	85-105	-
	85-110	85-120	85-110	85-120	85-110	85-95	106-120	100-130	90-125
	100-150	120-155	100-150	120-160	110-150	90-120	145-160	130-170	125-165
	125-190	155-195	140-190	160-220	150-190	120-160	180-200	170-210	165-205
	165-225	195-230	180-230	200-240	190-230	160-200	220-240	210-240	205-230

	SMW/AUTOBLOK Ø315			BERG Ø315	
	SP350-115	SP350-115ES	KDV	KF	KHFF
	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
	110-180	120-180	-	-	85-145
	140-220	150-220	85-175	85-165	-
	180-260	190-260	120-210	105-205	140-220
	220-300	230-300	-	-	-
	260-340	270-340	195-290	170-285	220-290


morsetti temprati per prese interne hardened jaws for internal grips

catalogo | catalogue

MATERIALE : ACCIAIO 18NiCrMo5 TEMPRATO
material : hardened steel 18NiCrMo5

DENTATURA / pitch: 1/16"x90°

MANDRINI / chucks
SMW/AUTOBLOK - CMT
BERG - FORKARDT
GAMET - ROHM - SCHUNK




MANDRINI / chucks Ø 250 - 320

										FORKARDT Ø315			
										KLNC	KG ; KS	KT	
CODICE /code	B	C	D	F	G	H	DIN912	P	KG	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	
43.31.21/MTI	58	48	21	30	M8	25	M16	1/16"x90°	1,23	85-145	85-145	85-155	
43.25.17/MTI	"	"	"	"	"	"	"	"	1,16	-	-	-	
43.25.18/MTI	"	"	"	"	"	"	"	"	1,10	100-210	120-210	140-215	
43.25.19/MTI	"	"	"	"	"	"	"	"	0,81	-	-	-	
43.25.20/MTI	"	"	"	"	"	"	"	"	0,80	180-290	200-290	215-295	


MANDRINI / chucks Ø 400

										SMW/AUTOBLOK Ø400			
										GHD FC	GHD FC	HDN-FC	HYDS
CODICE /code	B	C	D	F	G	H	DIN912	P	KG	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
43.40.22/MTI	58	48	21	30	M8	25	M16	1/16"x90°	1,50	140-220	105-220	145-240	
43.25.18/MTI	"	"	"	"	"	"	"	"	1,10	220-300	185-280	225-305	
43.25.20/MTI	"	"	"	"	"	"	"	"	0,80	300-380	265-370	305-390	



morsetti temprati per prese interne hardened jaws for internal grips

catalogo | catalogue



Pag.164

	FORKARDT Ø315		GAMET Ø315-320		ROHM Ø315		SCHUNK Ø250-315		
	KSH	UVE	MAC315	DELTA320	KFD KFD-HS	KFD-HF KFL	TH250-71 THF250-71	HSG315-108	TH315-86 THF315-86
	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
	85-155	90-160	115-145	90-155	85-140	85-145	-	115-185	85-150
	-	-	145-180	-	-	-	90-125	-	-
	150-220	160-230	180-220	155-230	135-215	145-225	125-160	185-260	150-225
	-	-	220-260	-	-	-	160-200	-	-
	220-230	230-300	260-295	230-300	215-285	225-290	200-240	260-330	225-300

	FORKARDT Ø400			ROHM
	KS	KSH	NH/NHF	KFL
	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)	CAMPO DI PRESA gripping range (A)
	100-220	100-230	120-230	100-200
	110-290	180-295	190-300	150-280
	190-370	250-380	270-375	220-360